



Pcounter for Xerox

Compatibility List

Pcounter Embedded for Xerox (XAuditron)
2018.08.27

A.N.D. Technologies
4104 24th Street #627
San Francisco, CA 94114
USA

E-Mail: support@pcounter.com
Web: <http://www.pcounter.com>
Phone: (415) 701-9222
Fax: (415) 651-9000
Copyright © 2018



Table of Contents

0.0.0 Introduction	3
0.0.1 Trial Period Information.....	3
1.0.0 Goal	3
1.1.0 What is Pcounter for Xerox.....	3
1.2.0 Requirements.....	4
1.3.0 Fiery Support.....	4
2.0.0 Supported Xerox MFP Models.....	5
2.1.0 AltaLink MFPs.....	5
2.2.0 VersaLink MFPs	6
2.3.0 ConnectKey & Discovery MFPs	6
2.4.0 Fuji Xerox MFPs.....	7
2.5.0 Legacy Xerox MFPs.....	7
3.0.0 Documentation and Video Links.....	8



0.0.0 Introduction

Pcounter for Xerox is server software that is intended to reside on a Window server.

Pcounter for Xerox is used to control walkup user access (**authentication**) to Xerox MFPs as well as capture walkup usage (**accounting**) for copy, scan, and fax.

A quick technical note; MFP = Multifunction Printer, and in this instance the MFP is the Xerox printer being configured.

0.0.1 Trial Period Information

Without a valid registration number, the Pcounter for Xerox software runs will run with full functionality for 90 days in trial mode. During this time there are no restrictions to the software's functionality and it can be used for testing all features. At the end of the trial period a valid registration number must be inserted, or the software will no longer function until a valid registration number is entered.

1.0.0 Goal

The goal of this document is to provide a list MFPs supported by Pcounter Embedded for Xerox.

1.1.0 What is Pcounter for Xerox

Pcounter for Xerox is Windows server software that interfaces directly with the embedded operating system inside the MFP. Pcounter for Xerox works in combination with Pcounter for Windows. Pcounter for Xerox provides a point of access control (Authentication), the ability to log job based data for copy, scan, and fax (Logging), and the ability to assign page quotas or currency balances to users, debiting them for individual jobs (Accounting).

Pcounter for Xerox combines all MFP print, copy, and scan data into a single log file managed by the Pcounter for Windows Data Server. Reporting can then be done quickly and easily for all job types using Pcounter Administrator and Pcounter Web Report.



1.2.0 Requirements

Please see our Pcounter System Requirements document at:

http://apps.pcounter.com/docs/pcounter_system_requirements.pdf

The Pcounter for Xerox server software can be installed on Windows 2008R2 Server or any later Windows “business” operating system. Windows “Home” products that lack domain support are not recommended.

The Pcounter for Windows software (version 2.90a or later) must be previously installed, configured, and in use on the Windows print server before installing and configuring the Pcounter for Xerox embedded management software on the server.

For more detailed information about Pcounter installation and administration please refer to the Pcounter Setup Guide and the Pcounter Documentation PDFs on the Pcounter Wiki at:

<https://pcounter.wixanswers.com>

Pcounter for Windows can be downloaded from <http://www.pcounter.com>

To download Pcounter for Xerox please contact Pcounter support at support@pcounter.com

1.3.0 Fiery Support

Some MFP models support an attached Fiery RIP engine. When a fiery is attached, Pcounter Embedded is only supported when the fiery and MFP are in a dual IP configuration, where both the MFP and Fiery each have their own unique and reachable IP address on the network.

PCXA LE does not support Fiery attached MFPs.

Full Pcounter and XAudit are both needed for Fiery attached MFP support.



2.0.0 Supported Xerox MFP Models

The following models support Pcounter for Xerox Embedded.

USB Card readers are supported except where noted in the section header or the model listing.

2.1.0 AltaLink MFPs

The 'AltaLink_ConnectKey' Document should be used to configure the models in this section. That document is located online at: http://apps.pcounter.com/docs/altalink_connectkey.pdf

All AltaLink models fully support all Pcounter for Xerox features including USB card readers. This list includes but is not limited to:

- AltaLink C8000 Series (C8030 - C8070)
- AltaLink B8000 Series (B8045 - B8090)
- All Future AltaLink Models..



2.2.0 VersaLink MFPs

The 'VersaLink' Document should be used to configure the models in this section. That document is located online at: <https://apps.pcounter.com/docs/versalink.pdf>

All VersaLink models fully support all Pcounter for Xerox features including USB card readers. This list includes but is not limited to:

- VersaLink C7000 Series (C7020 - C7030)
- VersaLink C405
- VersaLink C505
- VersaLink C605
- VersaLink B7000 Series (B7025 - B7035)
- VersaLink B405
- VersaLink B600 Series (B605 - B615)
- All Future VersaLink Models..

2.3.0 ConnectKey & Discovery MFPs

The 'AltaLink_ConnectKey' Document should be used to configure the models in this section. That document is located online at: http://apps.pcounter.com/docs/altalink_connectkey.pdf

The following models support all Pcounter for Xerox features. USB card readers are supported except where noted:

- WorkCentre 3655
- WorkCentre 4265
- WorkCentre 5700 Series
- WorkCentre 5800 Series
- WorkCentre 5900 Series
- WorkCentre 6400
- WorkCentre 6655
- WorkCentre 7220/7225
- WorkCentre 7500 Series
- WorkCentre 7700 Series
- WorkCentre 7800 Series
- WorkCentre 7970
- ColorQube 8700 Series
- ColorQube 8900 Series
- ColorQube 9200 Series (NOTE, the ColorQube 9200 Series does NOT support USB card readers)
- ColorQube 9300 Series



2.4.0 Fuji Xerox MFPs

The PCXAFuji Document should be used to configure the models in this section. That document is located online at: <http://apps.pcounter.com/docs/PCXAFuji.pdf>

The following models support all Pcounter for Xerox features. USB card readers are supported except where noted:

- WorkCentre 5300 Series
- WorkCentre 7100 Series
- WorkCentre 7300 Series
- WorkCentre 7400 Series
- Color 550/560/570 Series (NOTE, the Color 570 does NOT support USB cards readers)
- Color C60/C70
- Color C75

2.5.0 Legacy Xerox MFPs

The documents that should be used to configure the models in this section are located in the Other Models folder in the PCXAGuides.zip, which can be downloaded at: <http://apps.pcounter.com/docs/PCXAGuides.zip>

The following models support all Pcounter for Xerox features. USB card readers are supported except where noted:

- Phaser 3635 (USB Card Readers are supported)
- WorkCentre 4112/4127 (NOTE, these models do NOT support USB cards readers)
- WorkCentre 4250 (NOTE, this model does NOT support USB cards readers)
- WorkCentre 4260 (NOTE, this model does NOT support USB cards readers)
- WorkCentre 5130/5250 (NOTE, these models do NOT support USB cards readers)
- WorkCentre 5222 (NOTE, this model does NOT support USB cards readers)
- WorkCentre 5230 (NOTE, this model does NOT support USB cards readers)
- WorkCentre 5600 Series (NOTE, these models do NOT support USB cards readers)
- WorkCentre 7232/7242 (NOTE, these models do NOT support USB cards readers)
- WorkCentre 7600 Series (NOTE, these models do NOT support USB cards readers)



3.0.0 Documentation and Video Links

Download or view this document online at:

http://apps.pcounter.com/docs/PCXA_Compatibility_Chart.pdf

Download or view all the Pcounter for Xerox setup guides online at:

AltaLink_ConnectKey: http://apps.pcounter.com/docs/altalink_connectkey.pdf

VersaLink: <https://apps.pcounter.com/docs/versalink.pdf>

PCXAFuji: <http://apps.pcounter.com/docs/PCXAFuji.pdf>

PCXAGuides: <http://apps.pcounter.com/docs/PCXAGuides.zip>

Please view our Pcounter Videos online at: <https://www.youtube.com/andtechsf/>

Please also visit our Pcounter Support website at: <https://pcounter.wixanswers.com/en/>

This concludes the guide. If there are any questions, please email support@pcounter.com